

## INFORMATION SECTION

Model	Prod. run	Qty. built*	Body	Seats	Cyl.	Displacement	Output hp	Wheel-base, m
ÖV 4	1926-29	205	Open	5	4	1,944	28	2.95
PV 4	1927-29	694	Sedan	5	4	1,944	28	2.95
PV 4	1927-29	27	Sep.frame	-	4	1,944	28	2.95
ÖV 4 TV	1927-29	70	Pick up	2	4	1,944	28	2.95
PV 650	1929-34	206	Sep.frame	-	6	3,010/3266	55/65	2.95
PV 650 Sp	1931-34		Sep.frame	-	6	3,010/3266	55/65	3.55
PV 651	1929-32	2176	Sedan	5	6	3,010	55	2.95
PV 652	1929-33		Sedan	5	6	3,010/3266	55/65	2.95
TR 670	1930-34	88	Sep.frame	-	6	3,010/3266	55/65	3.10
TR 671	1930-31		Taxi	7	6	3,010	55	3.10
TR 672	1929-31	200	Taxi	7	6	3,010	55	3.10
TR 673	1931-34	233	Taxi	7	6	3,010/3266	55/65	3.10
TR 674	1932-34	138	Taxi	7	6	3,010/3266	55/65	3.10
PV 653	1933-34	230	Sedan	5	6	3,266	65	2.95
PV 654	1933-34	361	Sedan	5	6	3,266	65	2.95
PV 655	1933-34	62	Sep.frame	-	6	3,266	65	3.55
TR 675	1934	2	Sep.frame	-	6	3,266	65	3.10
TR 676	1934-35	29	Taxi	7	6	3,266	65	3.10
TR 677	1934	2	Sep.frame	-	6	3,266	65	3.25
TR 678	1934-35	39	Taxi	7	6	3,266	65	3.25
TR 679	1934	114	Taxi	7	6	3,266	65	3.25
PV 656	1935-36	16	Sep.frame	-	6	3,670	80-84	2.95
PV 657	1935-36	55	Sep.frame	-	6	3,670	80-84	3.55
PV 658	1935-37	301	Sedan	5	6	3,670	80-84	2.95
PV 659	1935-36	170	Sedan	5	6	3,670	80-84	2.95
TR 701	1935-37	214	Taxi	7	6	3,670	80-84	3.10
TR 702	1935-37	11	Sep.frame	-	6	3,670	80-84	3.25
TR 703	1935-37	181	Taxi	7	6	3,670	80-84	3.25
TR 704	1935-37	530	Taxi	7	6	3,670	80-84	3.25
PV 36	1935-38	500	Sedan	6	6	3,670	80-84	2.95
PV 36 ch	1935	1	Sep.frame	-	6	3,670	80-84	2.95
PV 51	1936-38	1754	Sedan	5	6	3,670	80-84	2.88
PV 51 ch	1936-38	205	Sep.frame	-	6	3,670	80-84	2.88
PV 52	1937-38	1046	Sedan	5	6	3,670	80-84	2.88
PV 53	1938-45	1204	Sedan	5	6	3,670	84-86	2.88
PV 54	1938-45	814	Sedan	5	6	3,670	84/86	2.88
PV 55	1938-45	286	Sedan	5	6	3,670	84/86	2.88
PV 56	1938-45	1321	Sedan	5	6	3,670	84/86	2.88
PV 57 ch	1938-45	275	Sep.frame	-	6	3,670	84/86	2.88
PV 800	1941-47	37	Sep.frame	-	6	3,670	84/86	3.25
PV 801	1938-47	550	Taxi	8	6	3,670	84/86	3.25

\* Qty. built refers to model year

## INFORMATION SECTION

Model	Prod. run	Qty. built*	Body	Seats	Cyl.	Displacement	Output hp	Wheel-base, m
PV 802	1938-47	1081	Taxi	8	6	3,670	84/86	3.25
PV 810	1938-47	180	Sep.frame	-	6	3,670	84/86	3.25
PV 60	1942, 1946-50	3006	Sedan	5	6	3,670	90	2.85
PV 61	1946-50	500	Sep.frame	-	6	3,670	90	2.85
PV 821	1948	200	Taxi	7-8	6	3,670	90	3.25
PV 822	1947-48	300	Taxi	7-8	6	3,670	90	3.25
PV 823	1947-48	150	Sep.frame	-	6	3,670	90	3.25
PV 824	1947-48	150	Sep.frame	-	6	3,670	90	3.55
PV 831/	1950-57	4135	Taxi	7-8	6	3,670	90	3.25
PV 832			Taxi	7-8	6	3,670	90	3.25
PV 833/	1950-58	2081	Sep.frame	-	6	3,670	90	3.25
PV 834			Sep.frame	-	6	3,670	90	3.55
PV 444 A	1944-50	12504	2-d Sedan	4	4	1,414	40/44	2.60
PV 444 B	1950-51	7500	2-d Sedan	4	4	1,414	44	2.60
PV 444 C	1951-52	8000	2-d Sedan	4	4	1,414	44	2.60
PV 444 D	1952-53	9000	2-d Sedan	4	4	1,414	44	2.60
PV 444 E	1953-54	31950	2-d Sedan	4	4	1,414	44	2.60
PV 444 H	1954-55	29046	2-d Sedan	4	4	1,414	44	2.60
PV 444 K	1955-57	33918	2-d Sedan	4	4	1,414	51/70	2.60
PV 444 L	1957-58	64087	2-d Sedan	4	4	1,583	60/85	2.60
PV 445 A	1953-54	500	Sep.frame	-	4	1,414	44	2.60
PV 445 B	1954-56	1099	Sep.frame	-	4	1,414	44	2.60
PV 445 D	1956-58	1926	Sep.frame	-	4	1,414	44	2.60
PV 445 G	1958-60	57	Sep.frame	-	4	1,414	44/51	2.60
PV 445 L	1958-60	54	Sep.frame	-	4	1,583	60	2.60
PV 445 11	1958-60	169	Sep.frame	-	4	1,583	60	2.60
PV 445 11 M	1958-60	225	Sep.frame	-	4	1,583	60	2.60
PV 445 DH	1953-56	6389	Pick-up	2	4	1,414	44	2.60
PV 445 GL	1956-57	1766	Pick-up	2	4	1,414	44	2.60
PV 445 LL	1957	821	Pick-up	2	4	1,583	60	2.60
PV 445 O6	1957-58	3380	Pick-up	2	4	1,583	60	2.60
PV 445 O6 M	1958-60	38	Pick-up	2	4	1,583	60	2.60
PV 445 PH	1955-56	1183	Sedan	2-5	4	1,414	44	2.60
PV 445 GP	1956-57	1813	Sedan	2-5	4	1,414	44	2.60
PV 445 LP	1957	946	Sedan	2-5	4	1,583	60	2.60
PV 445 O7	1957-58	5130	Sedan	3-5	4	1,583	60	2.60
PV 445 O7 M	1958-60	54	Sedan	2-5	4	1,583	60	2.60
PV 445 DS	1953-56	1333	Van	2-5	4	1,414	44	2.60
PV 445 GS	1956-57	136	Van	2-5	4	1,414	44	2.60
PV 445 LS	1957	527	Van	2-5	4	1,583	60	2.60
PV 445 O5	1957-58	1840	Van	2-5	4	1,583	60	2.60

\* Qty. built refers to model year

## INFORMATION SECTION

Model	Prod. run	Qty. built*	Body	Seats	Cyl.	Displacement	Output hp	Wheel-base, m	
PV 445 05 M	1958–60	23	Van	2–5	4	1,583	60	2.60	
Sport	1956–57	67	Open	2	4	1,414	70	2.40	
PV 544 A	1958–60	99495	2-d Sedan	5	4	1,583	60/85	2.60	
PV 544 B	1960–61	34600	2-d Sedan	5	4	1,583	60/85	2.60	
PV 544 C	1961–62	37900	2-d Sedan	5	4	1,778	75/90	2.60	
PV 544 D	1962–63	27100	2-d Sedan	5	4	1,778	75/90	2.60	
PV 544 E	1963–64	24200	2-d Sedan	5	4	1,778	75/90	2.50	
PV 544 F	1964–65	17300	2-d Sedan	5	4	1,778	75/90	2.60	
PV 544 G	1965	3400	2-d Sedan	5	4	1,778	75/95	2.60	
P 210 A	1960–61	11744	Estate	2–5	4	1,583	60	2.60	
P 210 B	1961–62	8299	Estate	2–5	4	1,583	60	2.60	
P 210 C	1962–63	6174	Estate	2–5	4	1,778	75	2.60	
P 210 D	1963–64	7674	Estate	2–5	4	1,778	75	2.60	
P 210 E	1964–65	7899	Estate	2–5	4	1,778	75	2.60	
P 210 F	1965–66	7149	Estate	2–5	4	1,778	75	2.60	
P 210 M	1966–67	7600	Estate	2–5	4	1,778	75	2.60	
P 210 P	1967–69	4420	Estate	2–5	4	1,778	75	2.60	
P 1200	1956–57	249	4-d Sedan	5	4	1,583	60	2.60	
P 1200 V/H	1957–58	4935	4-d Sedan	5	4	1,583	60	2.60	
P 1200 VB/HB	1958	6898	4-d Sedan	5	4	1,583	60	2.60	
P 12204									
P 12206	VB/HB	1958	2918	4-d Sedan	5	4	1,583	60/85	2.60
P 12104									
P 12104									
P 12106	UVB/	1958–59	39398	4-d Sedan	5	4	1,583	60/85	2.60
P 12204	UHB								
P 12206									
P 120 VD/HD	1960–61	29900	4-d Sedan	5	4	1,583	60/85	2.60	
P 120 VE/HE	1961–62	28500	4-d Sedan	5	4	1,778	75/90	2.60	
P 120 VF/HF	1962–63	27200	4-d Sedan	5	4	1,778	75/90	2.60	
P 120 VG/HG	1963–64	26400	4-d Sedan	5	4	1,778	75/90	2.60	
P 120 VK/HK	1964–65	27400	4-d Sedan	5	4	1,778	75/90	2.60	
P 120 VL/HL	1965–66	31250	4-d Sedan	5	4	1,778	75/95	2.60	
P 120 VM/HM	1966–67	9160	4-d Sedan	5	4	1,778	75/95	2.60	
P 130 VA/HA	1961–62	10500	2-d Sedan	5	4	1,778	75	2.60	
P 130 VB/HB	1962–63	29500	2-d Sedan	5	4	1,778	75	2.60	
P 130 VD/HD	1963–64	44600	2-d Sedan	5	4	1,778	75/90	2.60	
P 130 VE/HE	1964–65	59800	2-d Sedan	5	4	1,778	75/90	2.60	
P 130 VF/HF	1965–66	72550	2-d Sedan	5	4	1,778	75/90	2.60	
P 130 M	1966–67	62950	2-d Sedan	5	4	1,778	85/100/115	2.60	

\* Qty. built refers to model year

## INFORMATION SECTION

Model	Prod. run	Qty. built*	Body	Seats	Cyl.	Displace- ment	Output hp	Wheel- base, m
P 130 P	1967-68	32600	2-d Sedan	5	4	1,778	85/115	2.60
P 130 S	1968-69	27500	2-d Sedan	5	4	1,986	90/118	2.60
P 130 T	1969-70	19918	2-d Sedan	5	4	1,986	90/118	2.60
1800 VA/HA	1961-63	6000	GT	2	4	1,778	100	2.45
1800 VB/HB	1963	2000	GT	2	4	1,778	100	2.45
1800 S VD/HD	1963-64	4500	GT	2	4	1,778	108	2.45
1800 S VE/HE	1964-65	4000	GT	2	4	1,778	108	2.45
1800 S VF/HF	1965-66	4600	GT	2	4	1,778	115	2.45
1800 S M	1966-67	4500	GT	2	4	1,778	115	2.45
1800 S P	1967-68	2800	GT	2	4	1,778	115	2.45
1800 S S	1968-69	1963	GT	2	4	1,986	118	2.45
1800 E T	1969-70	2799	GT	2	4	1,986	130	2.45
1800 E U	1970-71	4750	GT	2	4	1,986	135	2.45
1800 E W	1971-72	1865	GT	2	4	1,986	135	2.45
1800 E S W	1971-72	3070	GT	2	4	1,986	135	2.45
1800 E S Y	1972-73	5008	GT	2	4	1,986	135	2.45
P 220 VA/HA	1962	1400	Estate	2-5	4	1,778	75	2.60
P 220 VB/HB	1962-63	6875	Estate	2-5	4	1,778	75	2.60
P 220 VD/HD	1963-64	9675	Estate	2-5	4	1,778	75	2.60
P 220 VE/HE	1964-65	11450	Estate	2-5	4	1,778	75	2.60
P 220 VF/HF	1965-66	15200	Estate	2-5	4	1,778	75/95	2.60
P 220 M	1966-67	17200	Estate	2-5	4	1,778	85/100	2.60
P 220 P	1967-68	8500	Estate	2-5	4	1,778	85/115	2.60
P 220 S	1968-69	2897	Estate	2-5	4	1,986	90	2.60
144 M	1966-67	37100	4-d Sedan	5	4	1,778	85/115	2.60
144 P	1967-68	57700	4-d Sedan	5	4	1,778	85/115	2.60
144 S	1968-69	48900	4-d Sedan	5	4	1,986	90/118	2.60
144 T	1969-70	55400	4-d Sedan	5	4	1,986	90/118	2.60
144 U	1970-71	68010	4-d Sedan	5	4	1,986	90/105	2.62
144 W	1971-72	77030	4-d Sedan	5	4	1,986	90/110	2.62
144 Y	1972-73	87900	4-d Sedan	5	4	1,986	90/118/135	2.62
144 A	1973-74	91768	4-d Sedan	5	4	1,986	90/118/135	2.62
142 M	1967	1500	2-d Sedan	5	4	1,778	115	2.60
142 P	1967-68	5140	2-d Sedan	5	4	1,778	85/115	2.60
142 S	1968-69	59500	2-d Sedan	5	4	1,986	90/118	2.60
142 T	1969-70	66560	2-d Sedan	5	4	1,986	90/118	2.60
142 U	1970-71	71910	2-d Sedan	5	4	1,986	90/105/130	2.62
142 W	1971-72	73470	2-d Sedan	5	4	1,986	90/110/135	2.62
142 Y	1972-73	70550	2-d Sedan	5	4	1,986	90/118/135	2.62
142 A	1973-74	64356	2-d Sedan	5	4	1,986	90/118/135	2.62
145 P	1967-68	9200	Estate	2-5	4	1,778	85/115	2.60
145 S	1968-69	21700	Estate	2-5	4	1,986	90/118	2.60
145 T	1969-70	30700	Estate	2-5	4	1,986	90/118	2.60

\* Qty. built refers to model year

## INFORMATION SECTION

Model	Prod. run	Qty. built*	Body	Seats	Cyl.	Displacement	Output hp	Wheel-base, m
145 U	1970-71	41780	Estate	2-5	4	1,986	90/105	2.62
145 W	1971-72	50340	Estate	2-5	4	1,986	90/110	2.62
145 Y	1972-73	56320	Estate	2-5	4	1,986	90/118/135	2.62
145 A	1973-74	58277	Estate	2-5	4	1,986	90/118/135	2.62
164 S	1968-69	14100	4-d Sedan	5	6	2,978	145	2.70
164 T	1969-70	20200	4-d Sedan	5	6	2,978	145	2.70
164 U	1970-71	20390	4-d Sedan	5	6	2,978	145	2.72
164 W	1971-72	21600	4-d Sedan	5	6	2,978	145/175	2.72
164 Y	1972-73	28500	4-d Sedan	5	6	2,978	145/175	2.72
164 A	1973-74	20617	4-d Sedan	5	6	2,978	145/175	2.72
164 B	1974-75	20601	4-d Sedan	5	6	2,978	175	2.72
242 B	1974-75	53804	2-d Sedan	5	4	1,986/2,127	82/97	2.64
242 E	1975-76	45144	2-d Sedan	5	4	1,986/2,127	82/100	2.64
242 H	1976-77	23215	2-d Sedan	5	4	1,986/2,127	90/100	2.64
242 L	1977-78	19230	2-d Sedan	5	4	1,986/2,127	90/100/123	2.64
242 M	1978-79	23445	2-d Sedan	5	4	1,986/2,127	90/123	2.64
242	1979-80	22145	2-d Sedan	5	4	1,986/2,315	90/140	2.64
242	1980-81	17809	2-d Sedan	5	4	1,986/2,127	97/133	2.64
242	1981-82	17049	2-d Sedan	5	4	1,986/2,127	97/133	2.64
240	1982-83	12893	2-d Sedan	5	4	1,986/2,127	97/133	2.64
240	1983-84	7887	2-d Sedan	5	4	1,986/2,127	97/133	2.64
244 B	1974-75	82976	4-d Sedan	5	4	1,986/2,127	82/97/123	2.64
244 E	1975-76	90736	4-d Sedan	5	4	1,986/2,127	82/100/123	2.64
244 H	1976-77	100055	4-d Sedan	5	4	1,986/2,127	90/123	2.64
244 L	1977-78	89685	4-d Sedan	5	4	1,986/2,127	90/123	2.64
244 M	1978-79	117855	4-d Sedan	5	4	1,986/2,127	90/123	2.64
244	1979-80	106012	4-d Sedan	5	4-6	1,986/2,664	68/141	2.64
244	1980-81	94111	4-d Sedan	5	4-6	1,986/2,849	68/155	2.64
244	1981-82	126696	4-d Sedan	5	4-6	1,784/2,849	82/155	2.64
240	1982-83	125639	4-d Sedan	5	4-6	1,784/2,849	82/155	2.64
240	1983-84	133104	4-d Sedan	5	4-6	1,784/2,849	82/155	2.64
240	1984-85	73235	4-d Sedan	5	4-6	1,784/2,849	82/155	2.64
240	1985-86	69511	4-d Sedan	5	4-6	1,986/2,383	82/131	2.64
240	1986-87	63045	4-d Sedan	5	4-6	1,986/2,383	82/131	2.64
240	1987-88	55318	4-d Sedan	5	4-6	1,986/2,383	82/131	2.64
240	1988-89	52509	4-d Sedan	5	4-6	1,986/2,383	82/131	2.64
240	1989-90	42846	4-d Sedan	5	4-6	1,986/2,383	82/135	2.64
240	1990-91	27464	4-d Sedan	5	4-6	1,986/2,383	82/135	2.64
240	1991-92	20790	4-d Sedan	5	4-6	1,986/2,383	82/135	2.64
240	1992-93	11812	4-d Sedan	5	4-6	1,986/2,383	82/135	2.64
245 B	1974-75	54709	Estate	2-5	4	1,986-2,127	82/97/123	2.64
245 E	1975-76	60640	Estate	2-5	4	1,986/2,127	80/100/123	2.64
245 H	1976-77	48485	Estate	2-5	4	1,986/2,127	90/100/123	2.64
245 L	1977-78	47490	Estate	2-5	4	1,986/2,127	90/100/123	2.64

\* Qty. built refers to model year

## INFORMATION SECTION

Model	Prod. run	Qty. built*	Body	Seats	Cyl.	Displacement	Output hp	Wheel-base, m
245 M	1978-79	53430	Estate	2-5	4	1,986/2,127	90/123	2.64
245	1979-80	51742	Estate	2-5	4-6	1,986/2,664	68/141	2.64
245	1980-81	50352	Estate	2-5	4-6	1,986/2,849	68/155	2.64
245	1981-82	66194	Estate	2-5	4-6	1,784/2,849	82/155	2.64
240	1982-83	71295	Estate	2-5	4-6	1,784/2,849	82/155	2.64
240	1983-84	85729	Estate	2-5	4-6	1,784/2,849	82/155	2.64
240	1984-85	68188	Estate	2-5	4-6	1,784/2,849	82/155	2.64
240	1985-86	58231	Estate	2-5	4-6	1,986/2,383	82/131	2.64
240	1986-87	47860	Estate	2-5	4-6	1,986/2,383	82/131	2.64
240	1987-88	42047	Estate	2-5	4-6	1,986/2,383	82/131	2.64
240	1988-89	36980	Estate	2-5	4-6	1,986/2,383	82/131	2.64
240	1989-90	36969	Estate	2-5	4-6	1,986/2,383	82/125	2.64
240	1990-91	27046	Estate	2-5	4-6	1,986/2,383	82/125	2.64
240	1991-92	28427	Estate	2-5	4-6	1,986/2,383	82/125	2.64
240	1992-93	23337	Estate	2-5	4-6	1,986/2,383	82/125	2.64
262 E	1975-76	3099	2-d Sedan	5	6	2,664	125	2.64
262 H	1976-77	230	2-d Sedan	5	6	2,664	125	2.64
262 C	1977-78	1670	2-d Coupé	5	6	2,664	140	2.64
262 CM	1978-79	2120	2-d Coupé	5	6	2,664	141/148	2.64
262 C	1979-80	1920	2-d Coupé	5	6	2,664/2,849	129/148	2.65
262 C	1980-81	912	2-d Coupé	5	6	2,849	155	2.65
264 B	1974-75	9674	4-d Sedan	5	6	2,664	140	2.64
264 E	1975-76	25987	4-d Sedan	5	6	2,664	125/140	2.64
264 H	1976-77	12045	4-d Sedan	5	6	2,664	125/140	2.64
264 L	1977-78	15590	4-d Sedan	5	6	2,664	125/140	2.64
264 M	1978-79	20950	4-d Sedan	5	6	2,664	125/141/148	2.64
264	1979-80	24058	4-d Sedan	5	6	2,664/2,849	129/148	2.65
264	1980-81	17696	4-d Sedan	5	6	2,849	155	2.65
264	1981-82	6390	4-d Sedan	5	6	2,849	155	2.65
265 E	1975-76	8108	Estate	2-5	6	2,664	125	2.64
265 H	1976-77	2805	Estate	2-5	6	2,664	125	2.64
265 L	1977-78	4815	Estate	2-5	6	2,664	125/140	2.64
265 M	1978-79	6040	Estate	2-5	6	2,664	125/141/148	2.64
265	1979-80	6481	Estate	2-5	6	2,664/2,849	129/148	2.65
265	1980-81	2315	Estate	2-5	6	2,849	155	2.65
265	1981-82	1918	Estate	2-5	6	2,849	155	2.65
260	1982-83	1018	Estate	2-5	6	2,849	156	2.65
260	1983-84	857	Estate	2-5	6	2,849	156	2.65
260	1984-85	704	Estate	2-5	6	2,849	156	2.65
760	1982	3000	4-d Sedan	5	6	2,849	156	2.77
760	1982-83	29917	4-d Sedan	5	4-6	2,316/2,849	109/173	2.77
760	1983-84	33616	4-d Sedan	5	4-6	2,316/2,849	109/173	2.77
760	1984-85	28181	4-d Sedan	5	4-6	2,316/2,849	109/177	2.77

\* Qty. built refers to model year

## INFORMATION SECTION

Model	Prod. run	Qty. built*	Body	Seats	Cyl.	Displacement	Output hp	Wheel-base, m
760	1985-86	16887	4-d Sedan	5	4-6	2,316/2,849	109/182	2.77
760	1986-87	20342	4-d Sedan	5	4-6	2,316/2,849	109/182	2.77
760	1987-88	20668	4-d Sedan	5	4-6	2,316/2,849	109/182	2.77
760	1988-89	18310	4-d Sedan	5	4-6	2,316/2,849	109/182	2.77
760	1989-90	12943	4-d Sedan	5	4-6	2,316/2,849	109/170	2.77
760	1985	993	Estate	5	4-6	2,316/2,383	116/162	2.77
760	1985-86	7443	Estate	5	4-6	2,316/2,849	109/182	2.77
760	1986-87	7698	Estate	5	4-6	2,316/2,849	109/182	2.77
760	1987-88	6953	Estate	5	4-6	2,316/2,849	109/182	2.77
760	1988-89	7571	Estate	5	4-6	2,316/2,849	109/182	2.77
760	1989-90	6787	Estate	5	4-6	2,316/2,849	109/170	2.77
740	1984	14359	4-d Sedan	5	4-6	2,316	131	2.77
740	1984-85	103617	4-d Sedan	5	4-6	1,986/2,383	82/177	2.77
740	1985-86	90088	4-d Sedan	5	4-6	1,986/2,383	82/182	2.77
740	1986-87	100499	4-d Sedan	5	4-6	1,986/2,383	82/182	2.77
740	1987-88	102604	4-d Sedan	5	4-6	1,986/2,383	82/182	2.77
740	1988-89	101500	4-d Sedan	5	4-6	1,986/2,383	82/200	2.77
740	1989-90	100576	4-d Sedan	5	4-6	1,986/2,383	82/200	2.77
740	1990-91	31531	4-d Sedan	5	4-6	1,986/2,383	82/200	2.77
740	1991-92	5669	4-d Sedan	5	4-6	1,986/2,383	82/200	2.77
740	1985	7015	Estate	5	4-6	2,316/2,383	82/162	2.77
740	1985-86	54983	Estate	5	4-6	1,986/2,383	82/182	2.77
740	1986-87	53915	Estate	5	4-6	1,986/2,383	82/182	2.77
740	1987-88	60353	Estate	5	4-6	1,986/2,383	82/182	2.77
740	1988-89	64741	Estate	5	4-6	1,986/2,383	82/200	2.77
740	1989-90	71462	Estate	5	4-6	1,986/2,383	82/170	2.77
740	1990-91	26128	Estate	5	4-6	1,986/2,383	82/200	2.77
740	1991-92	20355	Estate	5	4-6	1,986/2,383	82/170	2.77
780	1985-86	683	2-d Sedan	5	4-6	2,384/2,849	129/170	2.77
780	1986-87	2035	2-d Sedan	5	4-6	2,384/2,849	129/170	2.77
780	1987-88	2334	2-d Sedan	5	4-6	2,384/2,849	129/170	2.77
780	1988-89	2166	2-d Sedan	5	4-6	2,384/2,849	129/170	2.77
780	1989-90	1300	2-d Sedan	5	4-6	2,384/2,849	129/170	2.77
66	1975-76	19591	2-d Sedan	5	4	1,108/1,289	47/57	2.26
66	1976-77	15735	2-d Sedan	5	4	1,108/1,289	47/57	2.26
66	1977-78	13200	2-d Sedan	5	4	1,108/1,289	47/57	2.26
66	1978-79	14656	2-d Sedan	5	4	1,108/1,289	47/57	2.26
66	1979-80	14455	2-d Sedan	5	4	1,108/1,289	47/57	2.26
66	1975-76	15151	Estate	5	4	1,108/1,289	47/57	2.26
66	1976-77	8849	Estate	5	4	1,108/1,289	47/57	2.26
66	1977-78	4500	Estate	5	4	1,108/1,289	47/57	2.26

\* Qty. built refers to model year

## INFORMATION SECTION

Model	Prod. run	Qty. built*	Body	Seats	Cyl.	Displacement	Output hp	Wheel-base, m
343	1976	5206	3-d Hatchback	5	4	1,397	70	2.40
343	1976-77	29902	3-d Hatchback	5	4	1,397	70	2.40
343	1977-78	37700	3-d Hatchback	5	4	1,397	70	2.40
343	1978-79	67969	3-d Hatchback	5	4	1,397	70	2.40
343	1979-80	49940	3-d Hatchback	5	4	1,397	70	2.40
343	1980-81	29108	3-d Hatchback	5	4	1,397/1,986	70/92	2.40
343	1981-82	47066	3-d Hatchback	5	4	1,397/1,986	70/92	2.40
340	1982-83	50778	3-d Hatchback	5	4	1,397/1,986	64/70	2.40
340	1983-84	31658	3-d Hatchback	5	4	1,397	70	2.40
340	1984-85	29400	3-d Hatchback	5	4	1,397/1,596	55/70	2.40
340	1985-86	29849	3-d Hatchback	5	4	1,397/1,721	55/79	2.40
340	1986-87	27230	3-d Hatchback	5	4	1,397/1,721	55/79	2.40
340	1987-88	17628	3-d Hatchback	5	4	1,397/1,721	55/79	2.40
340	1988-89	15870	3-d Hatchback	5	4	1,397/1,721	55/79	2.40
340	1989-90	3130	3-d Hatchback	5	4	1,397/1,721	55/79	2.40
360	1983-84	7743	3-d Hatchback	5	4	1,986	92/115	2.40
360	1984-85	9073	3-d Hatchback	5	4	1,986	92/115	2.40
360	1985-86	5994	3-d Hatchback	5	4	1,986	101/112	2.40
360	1986-87	5836	3-d Hatchback	5	4	1,986	101/112	2.40
360	1987-88	3129	3-d Hatchback	5	4	1,986	101/112	2.40
360	1988-89	1760	3-d Hatchback	5	4	1,986	101/112	2.40
345	1979-80	28655	5-d Hatchback	5	4	1,397	70	2.40
345	1980-81	30779	5-d Hatchback	5	4	1,397/1,986	70/92	2.40
345	1981-82	47499	5-d Hatchback	5	4	1,397/1,986	70/92	2.40
340	1982-83	48337	5-d Hatchback	5	4	1,397/1,986	64/70	2.40
340	1983-84	26617	5-d Hatchback	5	4	1,397	70	2.40
340	1984-85	24796	5-d Hatchback	5	4	1,397/1,596	55/70	2.40
340	1985-86	31153	5-d Hatchback	5	4	1,397/1,721	55/79	2.40
340	1986-87	36698	5-d Hatchback	5	4	1,397/1,721	55/79	2.40
340	1987-88	33871	5-d Hatchback	5	4	1,397/1,721	55/79	2.40
340	1988-89	29024	5-d Hatchback	5	4	1,397/1,721	55/79	2.40
340	1989-90	17960	5-d Hatchback	5	4	1,397/1,721	55/79	2.40
340	1990-91	2595	5-d Hatchback	5	4	1,397/1,721	55/79	2.40
360	1983-84	13781	5-d Hatchback	5	4	1,986	92/115	2.40
360	1984-85	14249	5-d Hatchback	5	4	1,986	92/115	2.40
360	1985-86	15153	5-d Hatchback	5	4	1,986	101/112	2.40
360	1986-87	15296	5-d Hatchback	5	4	1,986	101/112	2.40
360	1987-88	11322	5-d Hatchback	5	4	1,986	101/112	2.40
360	1988-89	6480	5-d Hatchback	5	4	1,986	101/112	2.40
340	1983-84	11107	4-d Sedan	5	4	1,397	72	2.40
340	1984-85	12719	4-d Sedan	5	4	1,397/1,596	55/70	2.40
340	1985-86	19469	4-d Sedan	5	4	1,397/1,721	55/79	2.40
340	1986-87	18639	4-d Sedan	5	4	1,397/1,721	55/79	2.40

\* Qty. built refers to model year



## INFORMATION SECTION

Model	Prod. run	Qty. built*	Body	Seats	Cyl.	Displacement	Output hp	Wheel-base, m
340	1987-88	11314	4-d Sedan	5	4	1,397/1,721	55/79	2.40
340	1988-89	6716	4-d Sedan	5	4	1,397/1,721	55/79	2.40
360	1983-84	18253	4-d Sedan	5	4	1,986	92/115	2.40
360	1984-85	15608	4-d Sedan	5	4	1,986	92/115	2.40
360	1985-86	10459	4-d Sedan	5	4	1,986	101/112	2.40
360	1986-87	11502	4-d Sedan	5	4	1,986	101/112	2.40
360	1987-88	6910	4-d Sedan	5	4	1,986	101/112	2.40
360	1988-89	3475	4-d Sedan	5	4	1,986	101/112	2.40
480	1986	851	2-d Coupé	4	4	1,721	102	2.50
480	1986-87	11243	2-d Coupé	4	4	1,721	102/120	2.50
480	1987-88	15944	2-d Coupé	4	4	1,721	102/120	2.50
480	1988-89	12295	2-d Coupé	4	4	1,721	102/120	2.50
480	1989-90	9968	2-d Coupé	4	4	1,721	102/120	2.50
480	1990-91	7297	2-d Coupé	4	4	1,721	102/120	2.50
480	1991-92	7439	2-d Coupé	4	4	1,721	102/120	2.50
480	1992-93	4908	2-d Coupé	4	4	1,721/1,998	102/120	2.50
480	1993-94	2870	2-d Coupé	4	4	1,721/1,998	110/120	2.50
480	1994-95	3560	2-d Coupé	4	4	1,721/1,998	110/120	2.50
440	1988	19689	5-d Hatchback	5	4	1,721	79/120	2.50
440	1988-89	56451	5-d Hatchback	5	4	1,721	79/120	2.50
440	1989-90	45605	5-d Hatchback	5	4	1,721	79/120	2.50
440	1990-91	49073	5-d Hatchback	5	4	1,721	79/120	2.50
440	1991-92	52965	5-d Hatchback	5	4	1,596/1,794	82/120	2.50
440	1992-93	44859	5-d Hatchback	5	4	1,596/1,998	82/120	2.50
440	1993-94	47709	5-d Hatchback	5	4	1,596/1,998	82/120	2.50
440	1994-95	51662	5-d Hatchback	5	4	1,596/1,998	82/120	2.50
440	1995-96	16669	5-d Hatchback	5	4	1,596/1,998	82/120	2.50
460	1989-90	42726	4-d Sedan	5	4	1,721	87/120	2.50
460	1990-91	25484	4-d Sedan	5	4	1,721	87/120	2.50
460	1991-92	33615	4-d Sedan	5	4	1,596/1,794	82/120	2.50
460	1992-93	35404	4-d Sedan	5	4	1,596/1,998	82/120	2.50
460	1993-94	40526	4-d Sedan	5	4	1,596/1,998	82/120	2.50
460	1994-95	47314	4-d Sedan	5	4	1,596/1,998	82/120	2.50
460	1995-96	13332	4-d Sedan	5	4	1,596/1,998	82/120	2.50
940	1990-91	52508	4-d Sedan	5	4	1,986/2,383	82/170	2.77
940	1991-92	50323	4-d Sedan	5	4	1,986/2,383	82/170	2.77
940	1992-93	41571	4-d Sedan	5	4	1,986/2,383	82/170	2.77
940	1993-94	43218	4-d Sedan	5	4	1,986/2,316	111/165	2.77
940	1994-95	29264	4-d Sedan	5	4	1,986/2,316	111/165	2.77
940	1995-96	10364	4-d Sedan	5	4	2,316	135/165	2.77
940	1996-97	11419	4-d Sedan	5	4	2,316	135/165	2.77
940	1997-98	8037	4-d Sedan	5	4	2,316	135/165	2.77

\* Qty. built refers to model year

## INFORMATION SECTION

Model	Prod. run	Qty. built*	Body	Seats	Cyl.	Displacement	Output hp	Wheel-base, m
940	1990-91	27794	Estate	5	4	1,986/2,383	82/170	2.77
940	1991-92	29936	Estate	5	4	1,986/2,383	82/170	2.77
940	1992-93	34618	Estate	5	4	1,986/2,383	82/170	2.77
940	1993-94	37877	Estate	5	4	1,986/2,316	111/165	2.77
940	1994-95	29956	Estate	5	4	1,986/2,316	111/165	2.77
940	1995-96	25803	Estate	5	4	2,316	135/165	2.77
940	1996-97	23163	Estate	5	4	2,316	135/165	2.77
940	1997-98	22530	Estate	5	4	2,316	135/165	2.77
960	1990-91	14547	4-d Sedan	5	6	2,922	204	2.77
960	1991-92	11956	4-d Sedan	5	6	2,922	204	2.77
960	1992-93	9178	4-d Sedan	5	6	2,922	204	2.77
960	1993-94	12112	4-d Sedan	5	6	2,922	204	2.77
960	1994-95	27683	4-d Sedan	5	6	2,473/2,922	170/204	2.77
960	1995-96	22494	4-d Sedan	5	6	2,473/2,922	170/204	2.77
960	1996	14740	4-d Sedan	5	6	2,473/2,922	170/204	2.77
S90	1996-97	10318	4-d Sedan	5	6	2,922	182/204	2.77
S90	1997-98	15951	4-d Sedan	5	6	2,922	182/204	2.77
960	1990-91	4401	Estate	5	6	2,922	204	2.77
960	1991-92	5189	Estate	5	6	2,922	204	2.77
960	1992-93	4420	Estate	5	6	2,922	204	2.77
960	1993-94	3375	Estate	5	6	2,922	204	2.77
960	1994-95	9752	Estate	5	6	2,473/2,922	170/204	2.77
960	1995-96	8988	Estate	5	6	2,473/2,922	170/204	2.77
960	1996	5494	Estate	5	6	2,473/2,922	170/204	2.77
V90	1996-97	3203	Estate	5	6	2,922	182/204	2.77
V90	1997-98	5864	Estate	5	6	2,922	182/204	2.77
850	1991-92	28922	4-d Sedan	5	5	1,984/2,435	140/170	2.66
850	1992-93	69341	4-d Sedan	5	5	1,984/2,435	140/170	2.66
850	1993-94	73241	4-d Sedan	5	5	1,984/2,435	140/240	2.66
850	1994-95	88430	4-d Sedan	5	5	1,984/2,435	126/250	2.66
850	1995-96	78867	4-d Sedan	5	5	1,984/2,435	126/250	2.66
850	1996-97	52034**	4-d Sedan	5	5	1,984/2,435	126/250	2.66
850	1992-93	11605	Estate	5	5	1,984/2,435	140/170	2.66
850	1993-94	65073	Estate	5	5	1,984/2,435	140/240	2.66
850	1994-95	88961	Estate	5	5	1,984/2,435	126/250	2.66
850	1995-96	95246**	Estate	5	5	1,984/2,435	126/250	2.66
850	1996-97	65183	Estate	5	5	1,984/2,435	126/250	2.66
S40	1995-96	37437	4-d Sedan	5	4	1,731/1,948	115/140	2.55
S40	1996-97	45735	4-d Sedan	5	4	1,588/1,948	90/200	2.55
S40	1997-98	69396	4-d Sedan	5	4	1,588/1,948	90/200	2.55
S40	1998-99	30371	4-d Sedan	5	4	1,587/1,948	102/200	2.56

\* Qty. built refers to model year.

\*\* Revised figures

## INFORMATION SECTION

Model	Prod. run	Qty. built*	Body	Seats	Cyl.	Displacement	Output hp	Wheel-base, m
S40	1999-00	80462	4-d Sedan	5	4	1,587/1,948	102/200	2.56
S40	2000-01	89509	4-d Sedan	5	4	1,587-1,948	102-200	2.56
V40	1995-96	33251	Estate	5	4	1,731/1,948	115/140	2.55
V40	1996-97	57359	Estate	5	4	1,588/1,948	90/200	2.55
V40	1997-98	106107	Estate	5	4	1,588/1,948	90/200	2.55
V40	1998-99	49901	Estate	5	4	1,587/1,948	102/200	2.56
V40	1999-00	87755	Estate	5	4	1,587/1,948	102/200	2.56
V40	2000-01	89118	Estate	5	4	1,587-1,948	102-200	2.56
S70	1996-97	42462**	4-d Sedan	5	5	1,984/2,460	122/250	2.66
S70	1997-98	95266**	4-d Sedan	5	5	1,984/2,460	122/250	2.66
S70	1998-99	54236	4-d Sedan	5	4	1,984/2,460	122/250	2.66
S70 Classic	1999-00	50952	4-d Sedan	5	4	1,984/2,460	140/240	2.66
V70	1996-97	44833**	Estate	5	5	1,984/2,460	126/250	2.66
V70	1997-98	113882**	Estate	5	5	1,984/2,460	122/250	2.66
V70	1998-99	73977	Estate	5	5	1,984/2,460	140/250	2.66
V70 Classic	1999-00	87140	Estate	5	5	1,984/2,460	140/250	2.66
V70XC	1997-98	19163	Estate	5	5	1,984/2,435	163/193	2.66
V70XC	1998-99	15653	Estate	5	5	1,984/2,435	163/193	2.66
V70XC	1999-00	19041	Estate	5	5	1,984/2,435	163/193	2.66
V70 New	1999-00	25936	Estate	5	5	1,984/2,460	140/250	2.76
V70 New	2000-01	110964	Estate	5	5	1,984-2,460	140-250	2.76
Cross Country	1999-00	788	Estate	5	5	2,435	200	2.76
Cross Country	2000-01	45693	Estate	5	5	2,435	200	2.76
C70	1996-97	129**	2-d Coupé	4	5	1,984/2,435	180/240	2.66
C70	1997-98	6390**	2-d Coupé	4	5	1,984/2,435	180/240	2.66
C70	1998-99	5714	2-d Coupé	4	5	1,984/2,435	163/240	2.66
C70	1999-00	7715	2-d Coupé	4	5	1,984/2,435	163/240	2.66
C70	2000-01	4447	2-d Coupé	4	5	1,984-2,435	163-240	2.66
C70	1997-98	554**	2-d Convertible	4	5	1,984/2,435	180/240	2.66
C70	1998-99	4440	2-d Convertible	4	5	1,984/2,435	163/240	2.66
C70	1999-00	7715	2-d Convertible	4	5	1,984/2,435	163/240	2.66
C70	2000-01	9306	2-d Convertible	4	5	1,984-2,435	163-240	2.66
S80	1998-99	62056	4-d Sedan	5	5-6	1,984/2,922	140/272	2.79
S80	1999-00	84492	4-d Sedan	5	5-6	1,984/2,922	140/272	2.79
S80	2000-01	66426	4-d Sedan	5	5-6	1,984-2,922	140-272	2.79
S60	2000-01	92513	4-d Sedan	5	5	1,984-2,435	140-250	2.71

\* Qty. built refers to model year.

\*\* Revised figures

## TOTAL NUMBER OF CARS MANUFACTURED

Model	Year	Number
PV444/544	1944–1965	440,000
Volvo Amazon/120	1957–1970	667,323
Volvo 1800	1961–1972	39,777
Volvo 140/160	1966–1975	1,351,119
Volvo 340/360	1976–1991	1,139,700
Volvo 740/760/780	1982–1992	1,239,222
Volvo 240/260	1974–1993	2,862,415
Volvo 480	1986–1995	80,464
Volvo 440, 460	1988–1996	609,815
Volvo 940/960/S90/V90	1990–1998	667,000
Volvo 850	1991–1997	716,803
Volvo S70	1996–2000	243,078
Volvo V70 and V70XC	1996–2000	373,689

Between 1927 and 2001, Volvo Car Corporation produced a total of 12,015,510 cars.